



EVOTECH®
P E R F O R M A N C E


www.evotech-performance.com


Triumph Scrambler 1200 XC / XE Tail Tidy
Relocation Kit A9700145





Kit Contents PRN014766


- (A) 1 x EP Connector Type 10
- (B) 1 x Led Number Plate Light
- (C) 1 x Neoprene
- (D) 1 x Number Plate Light Block
- (E) 1 x Undertray
- (F) 1 x Main Bracket
- (G) 1 x Short Spacer
- (H) 1 x Longer Spacer
- (I) 2 x M4 x 12 Button Head Bolts
- (J) 2 x M4 x 25 Screws
- (K) 2 x M4 Flange Nuts
- (L) 4 x M6 Flange Nuts
- (M) 4 x M6 x 20 Button Head Bolts
- (N) 4 x M6 x 35 Button Head Bolts






























































Repeat
Both Sides




Install A9700145
Relocation Kit



















Loop cable ties through the
tail tidy.
Secure wires in position





Caution





Loop cable ties through the
tail tidy.
Secure wires in position



Caution












Caution

Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed























B





Caution

Run wires neatly down the channel
in both parts ensuring they
do not get trapped or squashed





ESSENTIAL CHECKS




After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.


It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.

Installation Instructions



EVOTECH[®]
P E R F O R M A N C E

Installation Instructions



EVOTECH[®]
P E R F O R M A N C E



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com