



**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)


KTM 890 Duke Radiator Guard

Installation Instructions



## Kit Contents PRN015055


- (A) 1 x Radiator Guard
- (B) 1 x Mounting Plate
- (C) 2 x M6 x 16 Button Head Bolts
- (D) 2 x M5 x 8 Button Head Bolts
- (E) 4 x Neoprene
- (F) 7 x Rubber Bungs




Locate round holes amongst hexagons.

Push Rubber Spacer through from the back of the guard so Hexagonal shape sits on the front face







Repeat  
Both Sides




Repeat  
Both Sides





Repeat  
Both Sides






Repeat  
Both Sides










Caution

**Do Not Fully Tighten**




 **Do Not Fully Tighten**






Ensure the radiator guard  
securely hooks over the  
top lip of the radiator



Repeat  
Both Sides


 Fully  
Tighten



Repeat  
Both Sides



Compress Guard  
Fully Tighten



Repeat  
Both Sides



Fully  
Tighten



## ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightened.



**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)